

# Compliance Statement

No. 2020-559

## Data communication cable, Category 7<sub>A</sub>

### Company

KRUGEL EXIM spol. s r.o.  
Rybnicna 38/H  
831 06 Bratislava  
Slovak Republic

### Product description

Screened cable (S/FTP) characterised up to 1200 MHz\*  
Horizontal floor wiring cable, 100 Ω  
4 pairs individually foil screened twisted pairs with overall braid screen  
Flame retardant, halogen free

### Product identification

KELine 10Giga 1200MHz, S/FTP 4 Pairs  
Cat.7<sub>A</sub>, LSOH  
P/N: KE1200HS23

### Generic cabling and cabling components standards - Category 7<sub>A</sub> cable requirements

- ISO/IEC 11801-1:2017 (Ed. 1.0) / ISO/IEC 11801-2:2017 (Ed. 1.0)
- IEC 61156-5:2020 (Ed. 3.0)
- EN 50173-1:2018 / EN 50173-2:2018
- EN 50288-9-1:2012

### Standards for flammability, halogen acidity, and smoke performance

- IEC 60332-1-1:2015 (Ed. 1.1) / IEC 60332-1-2:2015 (Ed. 1.1)
- IEC 60754-2:2019 (Ed. 2.1)
- IEC 61034-1:2019 (Ed. 3.2) / IEC 61034-2:2019 (Ed. 3.2)

### Technical report

12030380, DANAK-19/21305

### EC Cabling product ID

7145


### CS valid until

1 September 2021

\*Transmission parameters comply with IEC 61156-7 and with extended Cat. 7<sub>A</sub> limits up to 1200 MHz.

This product has been tested by FORCE Technology and complies with the requirements of the above specified standards and "Terms and conditions for the EC VERIFIED programme for Generic and Coaxial Cabling", DQP231006. The product takes part in a maintenance schedule, which implies that FORCE Technology performs a quality audit of the manufacturer's production and QA sites. The maintenance testing of the product is performed on a sample basis.

Hørsholm, 6 August 2020

  
Lars Lindskov Pedersen  
Test Manager

  
Dennis Andersen  
Head of Department